



TermiCom XPe



A versatile and affordable computer designed for industrial environments (without water). It uses a VIA Eden 800 Mhz processor and a color LCD screen TFT 15 inch resistive touchscreen. A teflon tip pen is available to point precisely on the touchscreen. There is a security fan that will activate only if the processor reaches a high temperature, in other cases the fan will stay off. This is useful when an application hangs and the processor is stuck at 100% utilization.



Below View

This dustproof anodic aluminum case resists to industrial environments. A tilt stand that can be wallmount or desktop position is included. Many ports are available to connect peripherals like, industrial keyboard, barcode reader, proximity reader, etc ... You can protect the Flash drive completely to prevent deleting or modifying the operating system or your application.





Wallmount Position



Desktop Position

General characteristics

TermiCom XPe

Processor :	 Low power consumption VIA Eden 800 Mhz
Memory:	256 Megs (default) up to maximum 512 Megs RAM
Hardisk:	512 Megs Flashdisk minimum (<i>non mechanical</i>)
Screen:	Color 24 bits LCD TFT (1024 X 768) SVGA, 15 inch touchscreen resistive (<i>by pressure</i>)
Input/Output:	3 serial ports 1 parallel port, 2 USB ports, 2 PS/2 ports (keyboard / mouse) 1 SVGA port, 1 Ethernet port 10/100 BaseT, 1 audio out port (Stereo 16 bits)
Operating System:	 (Microsoft © Windows © XP Embedded)
Stand:	Tilt stand that can be Wallmount or Desktop.
Limited Warranty:	1 year parts and labour in workshop (<i>Extended warranty available</i>).

Physical characteristics


Weight :	4.54 kg (10 lbs) without options
Power :	120/240 VAC 60/50 HZ
Case :	Anodic aluminum

Others


Options :	Barcode reader : pen, CCD, laser, etc. Slot reader Keyboard Proximity reader Printers Etc ...
------------------	--

Environment


Operating temperature :	5° to 40°C
Storage temperature :	-20° to 60°C
Relative humidity :	20% to 80% non-condensing



Desktop Position



Wallmount Position



Top View

SYMCOD INC., 1171 Notre-Dame Ouest, Victoriaville, QC CANADA G6P 7L1

Tel. : 800-203-9421 or 819-751-0095 Fax: 819-751-1292 E-mail: symcod@symcod.com

www.symcod.com

Rev.: 31/01/2005